

Product data sheet

Specifications



3 point lock linkage for Spacial S3D, height 900mm

NSYBTAS3D90

Main

Range	Spacial
Product Or Component Type	Linkage

Complementary

Accessory / Separate Part Category	Locking accessory
Accessory / Separate Part Type	Closing element
Device Application	Multi-purpose
Enclosure Nominal Height	900 mm
Mounting Support	Direct mounting on door
Range Compatibility	Spacial Spacial S3D
Device Composition	1 mechanism 1 mounting support
Quantity Per Set	Set of 1
Net Weight	0.375 kg
Lock Type	3 points lock, 3 mm double-bar

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	8.0 cm
Package 1 Length	46.5 cm
Package 1 Weight	375.0 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	20
Package 2 Height	46.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	7.6 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations