Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

EMC cover cut-out 291x291 with filter IP55



NSYCAP291LE

Main

Range	ClimaSys
Product Name	ClimaSys CA
Product Or Component Type	EMC sealing cover
Accessory / Separate Part Category	Thermal management accessory

Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range Compatibility	ClimaSys ClimaSys CV EMC fan Prisma Prisma P
Device Composition	1 cover 1 filter
Material	Painted steel
Colour	Grey (RAL 7035)
Cut-Out Dimensions	291 x 291 mm
Height	430 mm external:
Width	373 mm external:
Depth	105 mm external:

Environment

Ip Degree Of Protection IP54

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	37 cm
Package 1 Length	55 cm
Package 1 Weight	4.37 kg
Unit Type Of Package 2	PAM
Number Of Units In Package 2	20
Package 2 Height	85 cm
Package 2 Width	100 cm

Package 2 Length	120 cm	
Package 2 Weight	113 kg	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	