

Cable guide crossrails for framework, PanelSeT SFN, Spacial SF, Spacial SM, for electrical enclosure W600mm, set of 2

NSYCFS126

Main

Range	Spacial
Category	Cabling accessory
Product Or Component Type	Support
Application	Multi-purpose
Nominal Dimensions Of The Housing	- W: 600 mm

Complementary

Mounting Location	On structure of enclosure	
Range Compatibility	Spacial Spacial SF Spacial Spacial SM Spacial Spacial SFX Spacial Spacial SMX	
Device Composition	fixing elements 2 rail	
Quantity Per Set	Set of 1	
Material	Steel	
Surface Finish	sh Galvanized	
Support Angle	Angle 120 °	
Adjustment	Adjustable in every 25 mm	
Fixing Center	550 mm	
Height	20 mm	
Width	600 mm nominal:	

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	9.0 cm
Package 1 Length	66.0 cm
Package 1 Weight	708.0 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	30
Package 2 Height	29.0 cm

Package 2 Width	37.5 cm
Package 2 Length	120.0 cm
Package 2 Weight	21 24 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations