

Product data sheet

Specifications



Cage nut M6. Supply: 50 units

NSYCNFM6



Main

Range	Spacial
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Nut
Anwendung	Multi-purpose

Complementary

Range Compatibility	Thalassa Thalassa PLA Spacial Spacial SM Spacial Spacial SF
Quantity Per Set	Set of 50
Thread Type	M6

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.54 cm
Package 1 Width	2.54 cm
Package 1 Length	2.79 cm
Package 1 Weight	5.4 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	50
Package 2 Height	1 cm
Package 2 Width	15 cm
Package 2 Length	17 cm
Package 2 Weight	344 g
Unit Type Of Package 3	PAM
Number Of Units In Package 3	36000
Package 3 Height	35 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	197.6 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations