Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Removable cage nut M6



NSYCNM6

Main

Range	Spacial
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Nut
Anwendung	Multi-purpose

Complementary

Range Compatibility	Thalassa Thalassa PLA Spacial Spacial SM Spacial Spacial SF
Mounting Support	vertical uprights
Quantity Per Set	Set of 50
Thread Type	M6

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	1.500 cm
Package 1 Length	2.500 cm
Package 1 Weight	6.400 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	50
Package 2 Height	6.000 cm
Package 2 Width	10.000 cm
Package 2 Length	10.500 cm
Package 2 Weight	370.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	1200
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	9.300 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
Ø	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations