Specifications



# Control window with aluminum frame and 3 mm acrylic window 500 x 500 mm

NSYCW55

#### Main

Range	Spacial
Accessory / Separate Part Category	Installation accessory
Product Or Component Type	Window
For Enclosure Nominal Dimensions	-
Range Compatibility	Spacial Spacial S3D Spacial Spacial CRN
Mounting Location	Installation on door or panel
Device Composition	2 hinge 1 lock 1 fixings and drilling template 1 frame with window
Material	Transparent acrylic aluminium
Lock Type	Closure by lock
Number Of Locks	1
Key Number	2233X

### Complementary

Height	500 mm
Width	500 mm
Depth	77 mm
Type Of Installation	Indoor installation

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.500 cm
Package 1 Width	53.000 cm
Package 1 Length	57.000 cm
Package 1 Weight	4.520 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	10
Package 2 Height	90.000 cm
Package 2 Width	80.000 cm

 Package 2 Length
 120.000 cm

 Package 2 Weight
 57.200 kg

## **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations