Specifications



Earth braids section 10mm<sup>2</sup>, length 150mm, eyelet hole 6,4mm. Packaging unit: 10.

NSYEB1510D6

#### Main

Range	Spacial
Anwendung	Multi-purpose
Product Or Component Type	Earthing braid
Device Composition	1 braid
Quantity Per Set	Set of 10

# Complementary

Material	Tinned copper
Fixing Mode	Nut and washer - on earth connection location
Length	150 mm
Width	17 mm
Nominal Cross Section	10 mm <sup>2</sup>
Diameter	6.5 mm

# **Packing Units**

<del></del>	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	1.0 cm
Package 1 Length	15.0 cm
Package 1 Weight	18.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	18.0 cm
Package 2 Width	6.0 cm
Package 2 Length	1.0 cm
Package 2 Weight	211.0 g
Unit Type Of Package 3	PAL
Number Of Units In Package 3	400
Package 3 Height	20.0 cm
Package 3 Width	30.0 cm

Package 3 Length	40.0 cm	
Package 3 Weight	8.64 kg	

# **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations