



Hexagonal spacers M8 height 100 for raising mounting plates, etc. Supply: 100

NSYEX1008

Main

Category	Mounting accessory
Product Or Component Type	Spacer
Range Compatibility	Spacial Spacial CRN Spacial Spacial S3D Spacial Spacial S3CM
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Mounting Location	On mounting plate Switchgear Other hexagonal spacer
Device Composition	1 spacer
Quantity Per Set	Set of 100
Material	Galvanised steel

Complementary

Fixing Mode	Screw-on
Height	100 mm
Iso Thread	M8

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	1.000 cm
Package 1 Length	11.000 cm
Package 1 Weight	94.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	100
Package 2 Height	9.000 cm
Package 2 Width	14.000 cm
Package 2 Length	22.000 cm
Package 2 Weight	9.508 kg
Unit Type Of Package 3	S02

Number Of Units In Package 3	200
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	19.276 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations