Product data sheet

Specifications



Spacial SFM plain partial door - 1000x600 mm - 20M

NSYMPD20M6

Main

Range	Spacial
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Partial door
Application	Compartmentalised application
For Enclosure Nominal Dimensions	- W: 600 mm
Total Number Of 50 Mm Modules	20
Mounting Location	Front
Range Compatibility	Spacial Spacial SFM
Device Composition	1 partial door 2 hinges 1 5 mm double bar insert
Quantity Per Set	Set of 1

Complementary

· · ·	
Material	Steel
Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Lock Type	Lock 5 mm double bar
Number Of Locks	1
Door Type	External plain
Door Opening Side	Reversible (120 °)
Height	1000 mm nominal:
Width	600 mm nominal:

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	58.0 cm
Package 1 Length	101.0 cm
Package 1 Weight	10.87 kg
Unit Type Of Package 2	P12

Number Of Units In Package 2	10
Package 2 Height	82.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	122.0 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations