
Product data sheet

Specifications



PanelSet SF/SM single ventilated door - 1800x800 mm

NSYPCVD188

Main

Range	PanelSeT
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	19" door
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	Front
Range Compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device Composition	1 door 1 lock with handle and 5 mm double bar insert 1 locking bar system 4 points
Quantity Per Set	Set of 1

Complementary

Material	Sheet steel
Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Lock Type	Lock 5 mm double bar
Number Of Locks	1
Door Type	Ventilated
Door Opening Side	Reversible (120 °)
Height	1800 mm nominal:
Width	800 mm nominal:

Packing Units

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	77.5 cm
Package 1 Length	189.5 cm
Package 1 Weight	19.0 kg
Unit Type Of Package 2	P2M
Number Of Units In Package 2	10

Package 2 Height	67.0 cm
Package 2 Width	200.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	222.0 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations