Specifications



Plain mounting plate for DLM modular chassis H150xW400mm Packaging unit: 2

NSYPMP400DLM

() Discontinued on: Jun 30, 2023

① Discontinued

Main

Range	Spacial
Accessory / Separate Part Category	Mounting accessory
Product Or Component Type	Mounting plate
Device Application	Modular distribution application Multi-purpose
Enclosure Nominal Dimensions	-
Mounting Location	On fixing supports of chassis structure
Mounting Plate Description	Plain
Range Compatibility	Spacial Spacial S3D Spacial Spacial CRN Spacial Spacial S3X
Device Composition	2 mounting plate fixing elements
Quantity Per Set	Set of 1
Material	Galvanised steel

Complementary

Fixing Mode	By screws - screw type M8
Height	Nominal: 150 mm Real: 149 mm
Width	Nominal: 400 mm 308 mm
Depth	Real : 20 mm
Thickness	2 mm
Variant Particularity	For fixing non-modular device

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.2 cm
Package 1 Width	14.9 cm
Package 1 Length	30.8 cm
Package 1 Weight	815.0 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations