Specifications



Door retainer for all versions of PLA -2 positions opening 90° or 120°

NSYRETPLAU

Main

Range	Thalassa
Product Or Component Type	Door retainer
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Mounting Location	Door and enclosure
Range Compatibility	Thalassa PLA all versions
Device Composition	Fixing elements 1 x retainer

Complementary

Material	Galvanised steel
Fixing Mode	By fixing element - on enclosure body location By fixing element - on door bosses location
Operating Angle	90 ° 120 °
Opening Mechanism	Mechanical system

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	13.000 cm
Package 1 Length	22.000 cm
Package 1 Weight	444.500 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	33
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	15.088 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	264
Package 3 Height	45.000 cm

Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	132.708 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations