Specifications

Spacial SF/SM door cross rails - nominal width: 600 mm

NSYSDCR6

Main

Range	Spacial
Product Or Component Type	Door cross rail
Application	Multi-purpose
Nominal Dimensions Of The Housing	-
Mounting Location	On door reinforcement frame
Mounting Support	Direct mounting
Range Compatibility	Spacial SF, SM, SFX and SMX enclosures
Device Composition	2 x cross rail 1 x bag of fixing
Quantity Per Set	Set of 1

Complementary

•	
Material	Body of the rail: galvanised steel
Surface Finish	Zinc coated
Adjustment	Adjustable in height every 25 mm for on door reinforcement frame
Height	18 mm nominal:
Width	600 mm nominal:
Depth	18.6 mm
Thickness	2 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	5.000 cm
Package 1 Length	48.000 cm
Package 1 Weight	954.000 g
Unit Type Of Package 2	P12
Number Of Units In Package 2	100
Package 2 Height	45.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm

Package 2 Weight

107.400 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations