
Specifications



Spacial SM vertical adaptation profiles - 1200 mm

NSYSMVR12

Main

Range	Spacial
Accessory / Separate Part Category	Mounting accessory
Product Or Component Type	Adaptation profile
Application	Multi-purpose
Nominal Dimensions Of The Housing	-

Complementary

Range Compatibility	Spacial Spacial SM
Mounting Location	Front and rear sides of enclosure
Installation Direction	Vertical
Device Composition	fixing screws 2 profile
Quantity Per Set	Set of 1
Material	Steel
Surface Finish	Galvanized
Fixing Mode	By screws - on screws of hinges and latches location
Height	1200 mm nominal: 1106 mm real:
Width	42 mm
Depth	24.5 mm
Thickness	1.5 mm

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	5.0 cm
Package 1 Length	111.5 cm
Package 1 Weight	2.0 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	20
Package 2 Height	100.0 cm

Package 2 Width	120.0 cm
Package 2 Length	100.0 cm
Package 2 Weight	40.6 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations