

# Spacial SF top busbar chamber - IP55 - 300x400x800 mm

NSYTBC348

! To be discontinued on: Sep 30, 2024

(!) To be discontinued

#### Main

Range	Spacial
Accessory / Separate Part Category	Power distribution
Product Or Component Type	Top busbar chamber
Application	Multi-purpose
Range Compatibility	Spacial Spacial SF
Nominal Dimensions Of The Housing	-
Mounting Location	On top of enclosure
Device Composition	1 busbar chamber 1 sealing gasket 2 front panel
Quantity Per Set	Set of 1
Material	Steel

## Complementary

Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Height	301 mm
Width	400 mm
Depth	800 mm
Ip Degree Of Protection	IP55 conforming to IEC 60529

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.0 cm
Package 1 Width	42.0 cm
Package 1 Length	82.0 cm
Package 1 Weight	19.1 kg
Unit Type Of Package 2	PAM
Number Of Units In Package 2	10
Package 2 Height	133.0 cm

Package 2 Width	100.0 cm	
Package 2 Length	120.0 cm	
Package 2 Weight	239.0 kg	

# **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations