Specifications

# Standard for PanelSet S3D encl. RAL7035, L140xW80



NSYTLA

#### Main

Range	Spacial
Product Or Component Type	Cable gland plate
Accessory / Separate Part Category	Cable management accessory
Application	Multi-purpose
Range Compatibility	Spacial Spacial S3D
Mounting Location	Enclosure bottom
Cable Gland Type	Standard
Device Composition	fixing elements 1 plate 1 separate gasket
Quantity Per Set	Set of 1
Material	Plate: steel Seal: polyethylene (PE) foam

### Complementary

<i>.</i>
Plate: grey (RAL 7035)
Epoxy-polyester powder
3 markings 25 mm
140 mm
140 mm 200 mm real:
80 mm 400 mm real:
190 kg
1.5 mm 1.8 mm 2.0 mm

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	10.0 cm
Package 1 Length	17.0 cm
Package 1 Weight	194.0 g

Unit Type Of Package 2	PAL
Number Of Units In Package 2	40
Package 2 Height	20.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.76 kg

#### **Contractual warranty**

Warranty

18 months

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations