Specifications



vertical bridge, Linergy TR, 2 points, for 2 level spring terminals NSYTRR24D, NSYTRR, 1 pole, set of 50

NSYTRALV24R

Main

Range	Linergy	
Product Name	Linergy TR	
Product Or Component Type	Vertical bridge	
Device Short Name	TRA	
Accessory / Separate Part Category	Connection accessory	
Product Compatibility	TRR spring terminal - passthrough terminal block TRP push-in - passthrough terminal block	

Complementary

Cable Cross Section	2.54 mm ²
Number Of Connections	2
Number Of Measurement Input	4
Quantity Per Set	Set of 50
Net Weight	0.9 g

Packing Units

r aoning onito	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	6.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	0.900 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	50
Package 2 Height	1.500 cm
Package 2 Width	6.000 cm
Package 2 Length	8.000 cm
Package 2 Weight	46.000 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	250
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm

 Package 3 Length
 40.000 cm

 Package 3 Weight
 404.000 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
	Halogen Free Plastic Parts Product	
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	a Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)