

# Product data sheet

Specifications



## Emergency luminaire, Exiway Smartbeam Activa, flush, 3 h

OVA48928

⚠ Discontinued on: Jan 11, 2023

⚠ Discontinued

### Main

Range	Exiway
Product Name	Exiway Smartbeam Activa
Product Or Component Type	Emergency luminaire
Device Application	Anti-panic lighting
Function	Self-test
Operational Mode	Maintained Non-maintained
Number Of Batteries	1 x 6.4 V 1.5 Ah LiFePO4
Light Source	1 x LED 10 W

### Complementary

[Ue] Rated Operational Voltage	230 V AC 50/60 Hz
Power Consumption In Va	4.6 VA non-maintained 8.7 VA maintained
Power Consumption In W	0.52 W non-maintained 3.5 W maintained
Electrical Insulation Class	Class II
Led Lifespan	100000 h
Test Function	Automatic periodical functional & duration test
Autonomy	3 h
Charging Time	12 h
Illuminance	5 lux
Device Mounting	Recessed ceiling
Material	Thermoplastic self-extinguishing
Height	Driver: 24 mm
Depth	Driver: 24 mm
Width	Driver: 256.6 mm
Diameter	90 mm light fitting:
Net Weight	305 g

### Environment

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ip Degree Of Protection	Light fitting: IP42 Driver: IP20
Ik Degree Of Protection	IK04
Flame Retardance	V2
Fire Resistance	850 °C
Product Certifications	ENEC CE
Ambient Air Temperature For Operation	0...40 °C
Standards	EN 60598-1: group 1 EN 62034 UL 94 EN 60598-2-22 EN 62471 EN 60695-2-10

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	18.2 cm
Package 1 Length	28.0 cm
Package 1 Weight	436.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	10
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	4.816 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

## Well-being performance

✓ Toxic Heavy Metal Free	
✓ Mercury Free	
✓ Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	<a href="#">End of Life Information</a>