

# Decor - power socket-outlet - mechanism - 10 A - 250 V - graphite

PRM04723

## Main

| Aesthetic Name            | Decor         |
|---------------------------|---------------|
| Product Or Component Type | Socket-outlet |
| Device Presentation       | Mechanism     |
| Type Of Packing           | Flow-pack     |

## Complementary

| [In] Rated Current             | 10 A            |
|--------------------------------|-----------------|
| [Ue] Rated Operational Voltage | 250 V AC        |
| Material                       | ABS/PA          |
| Number Of Modules              | 1               |
| Embedding Depth                | 30.5 mm         |
| Depth                          | 39.4 mm         |
| Length                         | 43.4 mm         |
| Height                         | 39.4 mm         |
| Width                          | 23.5 mm         |
| Connections - Terminals        | Screw terminals |
| Cable Outer Diameter           | 3 mm            |
| Cable Cross Section            | 4 mm²           |
| Awg Gauge                      | AWG 10          |
| Fixing Mode                    | Clip-in         |
|                                |                 |

## **Environment**

| Standards | ABNT NBR NM 60.884 |  |
|-----------|--------------------|--|
|           | ABNT NBR 14.136    |  |

## **Packing Units**

| Unit Type Of Package 1       | PCE      |
|------------------------------|----------|
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 15.2 cm  |
| Package 1 Width              | 9.5 cm   |
| Package 1 Length             | 25.9 cm  |
| Package 1 Weight             | 0.027 kg |

## **Contractual warranty**

Warranty

18 months

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

#### **Certifications & Standards**

| Reach Regulation         | REACh Declaration   |
|--------------------------|---|
| Eu Rohs Directive        | Compliant EU RoHS Declaration   |
| China Rohs Regulation    | China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile   |
| Circularity Profile      | No need of specific recycling operations  |