

# Resi9 - cable entry stop - 13 Modules

R9H13535

## Main

Product Or Component Type	Cable entry stop
Accessory / Separate Part Category	Trunking accessory
Range Compatibility	Opale enclosure Resi9 enclosure
Number Of 18 Mm Modules Per Row	13
Product Destination	Trunking
Standards	NF EN 50085-2-1 NFC 15-100

## Complementary

Fire Resistance	750 °C conforming to EN/IEC 60695-2-11
Quantity Per Set	Set of 1
Ip Degree Of Protection	IP40 conforming to EN/IEC 60529
Ik Degree Of Protection	IK08 conforming to IEC 62262 IK08 conforming to EN 50102
Depth	80 mm
Height	340 mm
Width	280 mm
Colour Tint	White (RAL 9003)

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	35.000 cm
Package 1 Length	41.000 cm
Package 1 Weight	693.900 a

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations