Product data sheet

Specifications



Miluz - white moulded - 2-pole 1way - modular - 10 AX 250 V - white -1 module

S3B72040

Main

Range	Miluz	
Aesthetic Name	White moulded	
Product Or Component Type	Switch	

Complementary

e emprementar y		
Device Presentation	Mechanism	
Type Of Packing	Flow-pack	
Switch Function	2-pole 1-way	
Local Signalling	Without pilot light	
Marking	1 - 2 - L1 - L2	
[In] Rated Current	10 A	
[Ue] Rated Operational Voltage	250 V AC	
Material	ABS (acrylonitrile butadiene-styrene): wiring device	
Number Of Modules	1 module	
Fixing Mode	Clip-in	
Connections - Terminals	Screw-clamp terminals	
Cable Cross Section	4 mm ²	
Awg Gauge	AWG 12	
Height	20 mm	
Width	41.4 mm	
Depth	36 mm	
Embedding Depth	26 mm	
Projecting Depth	10 mm	

Environment

Standards	ABNT NBR NM 60.669
Product Certifications	NOM/ANCE RETIE

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4 cm
Package 1 Width	2.2 cm
Package 1 Length	4.4 cm
Package 1 Weight	19 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	20
Package 2 Height	15.8 cm
Package 2 Width	10.7 cm
Package 2 Length	26.5 cm
Package 2 Weight	520 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations