

Trailing lead, Unica extend, 3 Schuko, 3m cable, anthracite

ST9433B

Main

Range	Unica
Product Or Component Type	Trailing lead
Aesthetic Name	Unica extend
Control Type	Mains switch
Socket Number	3
Colour Tint	Anthracite (RAL 7021)
Cable Length	3 m

Complementary

[Ue] Rated Operational Voltage	250 V
On/Off Switch Present	True
[In] Rated Current	16 A
Outlet Poles Configuration	2P + E
Outlet Standard	Schuko
Socket Additional Information	Shuttered
Maximum Switching Capacity	16 A
Pilot Light	ON indicator
Material	PP (polypropylene)
Length	205.5 mm
Width	57 mm
Depth	40.5 mm
Type Of Packing	Film
Surface Treatment	Untreated

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8 cm
Package 1 Width	5.3 cm
Package 1 Length	26.5 cm
Package 1 Weight	546 g

Unit Type Of Package 2	S03
Number Of Units In Package 2	15
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	8.8 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	120
Package 3 Height	77 cm
Package 3 Width	80 cm
Package 3 Length	60 cm
Package 3 Weight	78.9 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information