Product data sheet

Specifications



() Discontinued

APC Smart-UPS VT Japan Extended Run Enclosure w/2 Batt. Modules Exp to 6, MCCB and Start-Up 5X8

SUVTJBXR2B6S

- () Discontinued on: Jul 5, 2021
- (!) End-of-service on: Oct 18, 2023

Overview

 Lead Time
 Usually Ships within 2 Weeks

 Main
 Main Input Voltage
 200 V 3 phases

 Battery Type
 VRLA

 Provided Equipment
 Installation guide User manual

Batteries & Runtime

Battery Location	Battery cabinet
Number Of Battery Blocks Per String	32
Number Of Battery Free Slots	4
Number Of Battery Filled Slots	2
Battery Life	35 year(s)
Battery Manufacturer	Panasonic
Device Mounting	Enclosed battery cabinet
Battery Voltage	192 V
Battery Power In Vah	5530 VAh

Physical

Colour	Black
Height	149.9 cm
Width	52.3 cm
Depth	83.8 cm
Net Weight	409.09 kg
Mounting Mode	Not rack-mountable

Conformance

Product Certifications

cUL listed

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-5040 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	164.3 cm
Package 1 Width	106.2 cm
Package 1 Length	65 cm
Package 1 Weight	443.8 kg

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Under investigation