

Symmetra PX 250/500kW Battery Enclosure for up to 8 Battery Modules

SYBFXR8

Overview

Presentation	Symmetra PX250/500kW, High Performance Battery Frame that can accommodate up to eight long life, high-capacity battery modules.
Lead Time	Usually Ships within 6 Weeks

Main

Battery Type	VRLA	
Provided Equipment	l lear manual	

Batteries & Runtime

Number Of Battery Blocks Per String	6
Number Of Battery Free Slots	8
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cabinet

Physical

Colour	Black
Height	199.1 cm
Width	75 cm
Depth	107 cm
Net Weight	373.64 kg

Conformance

Product Certifications	cUL listed CE	
	UL listed VDE	

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1540 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	215 cm
Package 1 Width	127 cm
Package 1 Length	112 cm
Package 1 Weight	431.82 kg

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product



Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation REACh Declaration Eu Rohs Directive Compliant with Exemptions **Environmental Disclosure Product Environmental Profile**