Specifications



High-Performance Battery Module for 400V Symmetra PX 48/96/160KW & 208V Symmetra PX 100KW

SYBT9-B4

Overview	
Lead Time	Usually in Stock
NA - '	
Main	
Battery Type	VRLA
Provided Equipment	Installation guide
Batteries & Runti	me
Battery Location	Internal battery
Number Of Battery Blocks Per String	4
Battery Voltage	384 V
Battery Power In Vah	3456 VAh
Physical	
Height	15.9 cm
Width	42.8 cm
Depth	70 cm
Net Weight	100.45 kg
Conformance	
Product Certifications	CE EUROBAT
Standards	UL 1778
Environmental	
Ambient Air Temperature For Operation	040 °C
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1540 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %
Packing Units	
Unit Type Of Package 1	PCE

Number Of Units In Package 1	1
Package 1 Height	18 cm
Package 1 Width	81 cm
Package 1 Length	60 cm
Package 1 Weight	107.4 kg

Contractual warranty

Warranty

1 year (parts only)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

EQ

Guide to assess a product's sustainability >



(

Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov