

Voltage Presence Indicating Systems, PowerLogic VPIS, IEC 62271-206, V2, 7.4µA

VPI62403

### Main

Master Range	PowerLogic
Range Of Product	PowerLogic VPIS
Product Or Component Type	Voltage presence indicating system
Device Short Name	VPIS V2
Network Type	AC
Type Of Installation	Indoor
Standards	IEC 62271-206:2011
Rated Frequency (Fr)	50/60 Hz
Current Threshold	7.4 µA
Voltage Output Option	Without
Degrees Of Protection Provided By Enclosures (Ip Code)	IP3X
Degree Of Protection Of Enclosure Against External Mechanical Impacts (Ik Code)	IK05

# Complementary

Mass	70 g
Height	35 mm
Width	70 mm
Depth	40 mm

#### **Environment**

Electromagnetic Compatibility	Electrostatic discharge immunity test conforming to IEC 61000-4-2 Radiated radio-frequency electromagnetic field immunity test conforming to IEC 61000-4-3 Electrical fast transient/burst immunity test conforming to IEC 61000-4-4 Damped oscillatory wave immunity test conforming to IEC 61000-4-18
Ambient Air Temperature For Operation	-2585 °C
Ambient Air Temperature For Storage	-4085 °C
<b>Humidity Conditions</b>	Average relative humidity over 24 h <= 95 %
Operating Altitude	< 1000 m

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4.0 cm
Package 1 Width	3.5 cm
Package 1 Length	7.0 cm
Package 1 Weight	80.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	14
Package 2 Height	9.0 cm
Package 2 Width	9.0 cm
Package 2 Length	27.0 cm
Package 2 Weight	1.18 kg
Unit Type Of Package 3	S03
Number Of Units In Package 3	168
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	14.647 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations