

Product data sheet

Specifications



Voltage Presence Indicating Systems, PowerLogic VPIS, IEC 62271-206, V3, 10.7μA, with voltage output signal

VPI62614

Main

Master Range	PowerLogic
Range Of Product	PowerLogic VPIS
Product Or Component Type	Voltage presence indicating system
Device Short Name	VPIS V3
Network Type	AC
Type Of Installation	Indoor
Standards	IEC 62271-206:2011
Rated Frequency (Fr)	50/60 Hz
Current Threshold	10.7 μA
Voltage Output Option	For Easergy T300 SC150 module
Degrees Of Protection Provided By Enclosures (Ip Code)	IP3X
Degree Of Protection Of Enclosure Against External Mechanical Impacts (Ik Code)	IK05

Complementary

Mass	103 g
Height	35 mm
Width	70 mm
Depth	40 mm

Environment

Electromagnetic Compatibility	Electrostatic discharge immunity test conforming to IEC 61000-4-2 Radiated radio-frequency electromagnetic field immunity test conforming to IEC 61000-4-3 Electrical fast transient/burst immunity test conforming to IEC 61000-4-4 Damped oscillatory wave immunity test conforming to IEC 61000-4-18
Ambient Air Temperature For Operation	-25...85 °C
Ambient Air Temperature For Storage	-40...85 °C
Humidity Conditions	Average relative humidity over 24 h <= 95 %
Operating Altitude	< 1000 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	3.900 cm
Package 1 Width	9.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	97.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.000 cm
Package 2 Width	9.000 cm
Package 2 Length	26.700 cm
Package 2 Weight	634.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	24
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.945 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information