

# Cover frame, Exxact Primo, 5 gangs, anthracite

WDE003705

! Discontinued on: Jun 30, 2023

(!) Discontinued

### Main

Range	Exxact
Aesthetic Name	Primo
Product Or Component Type	Cover frame
Number Of Gangs	5 gangs
Colour Tint	Anthracite
Quantity Per Set	Set of 2

## Complementary

Device Mounting	Flush
Material	ABS (acrylonitrile butadiene-styrene)
Standards	IEC 60884-1 EN 60669-1
Product Certifications	FIMKO NEMKO CE SEMKO
Ip Degree Of Protection	IP20
Height	371 mm
Width	87 mm
Depth	11.6 mm

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	8.8 cm
Package 1 Length	37 cm
Package 1 Weight	84 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	2
Package 2 Height	4 cm
Package 2 Width	10 cm

Package 2 Length	39.6 cm
Package 2 Weight	224 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	10
Package 3 Height	12.4 cm
Package 3 Width	29.6 cm
Package 3 Length	40.4 cm
Package 3 Weight	1.446 kg

# **Contractual warranty**

Warranty 18 months

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations