

Rocker, Exxact, for push button KNX, 1-gang dark

WDE003943

! Discontinued on: Jun 30, 2023

(!) Discontinued

Main

Range	Exxact
Product Or Component Type	Rocker
Bus Type	KNX
Colour Tint	Anthracite (RAL 7021)

Complementary

Device Presentation	Mechanism with fixing frame
Product Destination	KNX bus system
Technology Type	Electronic
Device Mounting	Flush
Number Of Rocker	1
Number Of Function Keys	2
Local Signalling	LED
Material	Polycarbonate
Surface Finish	Glossy
Marking	Without marking
Quantity Per Set	Set of 1
Height	71 mm
Width	71 mm

Environment

Ip Degree Of Protection	IP20	
lk Degree Of Protection	IKN2	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.4 cm
Package 1 Width	7.6 cm
Package 1 Length	8.0 cm
Package 1 Weight	68.0 g

Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	16.4 cm
Package 2 Width	16.6 cm
Package 2 Length	27.2 cm
Package 2 Weight	832.0 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations