Specifications



Renova Surface Single Socket-Outlet Schuko with screwless terminals black

WDE015976

Main

Range	Renova
Product Or Component Type	Socket-outlet
Device Presentation	Complete product
Quantity Per Set	Set of 10

Complementary

complementary	
Socket Number	1
Device Mounting	Surface
Outlet Poles Configuration	2P + E
Outlet Standard	Schuko
Outlet Standard	CEE 7/3
Rated Current	16 A
[Ue] Rated Operational Voltage	250 V AC
Colour Tint	Black (NCS S 9000-N)
Connections - Terminals	Screwless terminals
Clamping Connection Capacity	1 x 1.52 x 2.5 mm ² for solid cable(s) 1 x 1.52 x 2.5 mm ² for solid stranded cable(s)
Material	PC (polycarbonate): cover frame PC 10 % GF: bottom-plate
Fixing Mode	By screws: insert By screw: cover frame
Diameter	70.0 mm
Embedding Depth	0.0 mm
Projecting Depth	43.0 mm

Environment

Standards	DIN VDE 0620-1 IEC 60884-1 NEK 502 SFS 5610 SS 4280834
Product Certifications	FIMKO NEMKO SEMKO CE
Ip Degree Of Protection	IP20

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.300 cm
Package 1 Width	6.900 cm
Package 1 Length	6.900 cm
Package 1 Weight	62.000 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Fa

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations