

# Product data sheet

Specifications



Flush mounting kit, Harmony XB5, mounting kit 30mm for selector switches and illuminated push buttons 22mm, plastic, 1 line legend

ZB5AZ024

## Main

Range Of Product	Harmony XB5
Product Or Component Type	Flush mounting kit
Accessory / Separate Part Category	Mounting and fixing accessory
Product Compatibility	ZB5AW ZB5AD ZB5AJ ZB5AH..3 ZB5RZA0 ZB5AD.9 ZB5AD.8 ZB5AK ZB5RTA ZB5AA.6
Accessory / Separate Part Destination	Selector switch with high bezel Illuminated push-button with high bezel

## Complementary

Colour	Black
Ip Degree Of Protection	IP66 (front face) conforming to IEC 60529 IP69 (front face) conforming to IEC 60529 IP69K (front face) conforming to DIN 40050-9
Ik Degree Of Protection	IK03 conforming to IEC 50102
Mounting Diameter	30.5 mm
Quantity Per Set	Set of 1

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.3 cm
Package 1 Width	5.2 cm
Package 1 Length	5.5 cm
Package 1 Weight	17.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	80
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm


Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

---

Package 2 Weight	1.748 kg
------------------	----------

Dimensions Drawings

Dimensions with Flush Mounting Kit



e : Clamping thickness : 1 to 3.5 mm / 0.04 to 0.14 in.  
(1) Additional row of contacts or double contact

Mounting and Clearance

Panel Cut-Out and Mounting

Panel Cut Dimensions

