


# Product datasheet

Specifications



## LINERGY BW 4P INSULATED BUSBAR 125A L750

04108

⚠ Discontinued on: 17 Jan 2022

⚠ End-of-service on: 17 Dec 2022

⚠ Discontinued

Price: 3,461.84 ZAR

### Main

Range	Linerygy
Range Of Product	Linerygy
Product Or Component Type	Busbar
Product Name	Linerygy BW
Range Compatibility	Prisma Prisma G enclosure Prisma Prisma P enclosure
Ip Degree Of Protection	IPxx B
Busbar Description	Insulated bar
Provided Equipment	Clip-on covers
Quantity Per Set	Set of 1

### Complementary

Poles Description	4P
Installation Direction	Vertical, operating position: rear
Installation Description	Cubicle - width 650 mm Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Pack enclosure
[Ui] Rated Insulation Voltage	500 V
[Uimp] Rated Impulse Withstand Voltage	8 kV
[Ie] Rated Operational Current	125 A
[Icw] Rated Short-Time Withstand Current	8.5 kA (1 s)
[Ipk] Rated Peak Withstand Current	20 kA
I²T On Activation	72250 kA².s
Permissible Current	125 A
Length	750 mm
Net Weight	2.34 kg
Type Of Busbar Connection	M6 threaded hole
Connection Pitch	Connection each 25 mm

### Environment

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	IEC 61439-1
	IEC 61439-2
Product Certifications	ASEFA

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	11.5 cm
Package 1 Length	91 cm
Package 1 Weight	2.5 kg

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

Well-being performance

✓	Mercury Free	
✓	RoHS Exemption Information	Yes
✓	Halogen Free Product	

Certifications & Standards

Eu RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins