



Overview

Lead time	Usually in Stock
-----------	------------------

General

Provided equipment	Mounting hardware Rack mounting brackets Serial configuration cable
--------------------	---

Physical

Cable length	2.44 m
Colour	Black
Depth	23.6 cm
Height	4.4 cm
Product weight	4.21 kg
Width	43.2 cm

Input

Network frequency	50/60 Hz
Plug standard	IEC 60309 16 A 2P + E
Max line current	16 A
Input current limits	16 A
Load capacity	3840 VA
Input voltage	230 V

Output

Max current draw	16 A
Number of power socket outlets	1 IEC 60309 16 A 2P + E

Power cable length	0.91 m
Output voltage	230 V

Conformance

Product certifications	CE EMC directive 2004/108/EC low voltage directive 2006/95/EC
Standards	EN/IEC 60950-1 UL 60950-1

Environmental

Ambient air temperature for operation	-5...45 °C
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	0...95 %
Storage altitude	0.00...15240.00 m

Packing Units

Package 1 Weight	5.95 kg
Package 1 Height	11.4 cm
Package 1 width	60 cm
Package 1 Length	34.9 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Lead free	Yes
Mercury free	Yes
RoHS exemption information	Yes
Take-back	Take-back program available

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------