





Rack PDU, Switched, 2U, 30A, 208V, (16)C13

AP7911B

Price: 22,961.20 ZAR

Overview

Lead Time Usually in Stock

Main

Colour	Black
Pdu Type	Switched
Cord Length	3.66 m
Number Of Cables	1
Provided Equipment	Documentation CD Installation guide Rack mounting brackets

Complementary

Input Voltage	200 V
	208 V 230 V
	230 V
Height	8.9 cm
Width	44.4 cm
Output Voltage	208 V
Depth	25.4 cm
Net Weight	6.32 kg
Mounting Location	Front
	Rear
	
Mounting Preference	No preference
Input Plug Type	NEMA L6-30P
Mounting Mode	Rack-mounted
Rack Units	2U
Mounting Position	Horizontal
[In] Rated Current	24 A
Permissible Voltage	200240 V
Input Current Limits	30 A
Load Capacity	4992 VA
Network Frequency	50/60 Hz
Total Number Of Outlets	16 IEC 60320 C13

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Environment

Product Certifications	cUL listed CSA Industry Canada PSE UL listed
Standards	FCC part 15 class A ICES-003 UL 60950
Ambient Air Temperature For Operation	045 °C
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.6 cm
Package 1 Width	51.4 cm
Package 1 Length	51.4 cm
Package 1 Weight	8.36 kg

Contractual warranty

Warranty 2 years repair or replace



Green Premium TM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation REACh Declaration Eu Rohs Directive Compliant with Exemptions **Environmental Disclosure** Product Environmental Profile **Circularity Profile** End of Life Information