Product datasheet

Specifications

RACK PDU, SWITCHED, 2U, 32A, 230V, (16)C13

AP7922B

Price: 22,551.18 ZAR

Overview

Lead Time	Usually in Stock

Main

Colour	Black
Pdu Type	Switched
Cord Length	3.05 m
Number Of Cables	1
Provided Equipment	Documentation CD Installation guide Rack mounting brackets

Complementary

Input Voltage	200 V 208 V 230 V
Height	8.9 cm
Width	44.5 cm
Output Voltage	230 V
Depth	11.4 cm
Net Weight	4.5 kg
Mounting Location	Front Rear
Mounting Preference	No preference
Input Plug Type	IEC 60309 32 A 2P + E
Mounting Mode	Rack-mounted
Rack Units	2U
Mounting Position	Horizontal
Permissible Voltage	220…240 V
Input Current Limits	32 A
Load Capacity	7360 VA
Network Frequency	50/60 Hz
Total Number Of Outlets	16 IEC 60320 C13

Environment

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product Certifications	CE GOST IRAM MIC VDE
Standards	EN 55022 class A EN 55024 EN 61000-3-2 EN 61000-3-3
Ambient Air Temperature For Operation	0…45 °C
Relative Humidity	0…95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25…65 °C
Storage Relative Humidity	0…95 %
Storage Altitude	0.00…15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14 cm
Package 1 Width	36.8 cm
Package 1 Length	50.8 cm
Package 1 Weight	6.55 kg

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Energy Efficient | Take-back | Transparency | RoHS/REACh

Resource performance

- Energy Efficient Product
- Take-Back Program Available

Well-being performance

- Mercury Free
- Rohs Exemption Information — Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information