Product datasheet

Specifications





TeSys F - specific contactor coil -110...115 V AC 40...400 Hz low consumption

LX9FH1102

(!) To be discontinued on: 31 Dec 2028

① To be discontinued

Price: 8,709.98 ZAR

Main

Range	TeSys
Product Or Component Type	Specific contactor coil
Device Short Name	LX9FH
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F265 LC1F330
Control Circuit Type	AC at 40400 Hz low consumption
[Uc] Control Circuit Voltage	110115 V AC 40400 Hz
Average Resistance	18.7 Ohm inrush at 20 °C 415 Ohm holding at 20 °C
Operating Time	25 ms opening 45 ms closing
Mechanical Durability	10 Mcycles
Maximum Operating Rate	3600 cyc/h 55 °C

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Operational: 0.851.1 Uc (at 55 °C) Drop-out: 0.350.55 Uc (at 55 °C)
Inrush Power In Va	560660 VA 40400 Hz (at 20 °C)
Hold-In Power Consumption In Va	810 VA 40400 Hz (at 20 °C)
Heat Dissipation	8.410.4 W

Environment

Ambient Air Temperature For Operation	-555 °C
Net Weight	0.75 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.3 cm
Package 1 Width	10.5 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 1 Length	18.7 cm
Package 1 Weight	856.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	11.087 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information