Specifications



# current transformer tropicalised 1250 5 double output for bars 32x65

METSECT5DA125

#### Price: 1,136.96 ZAR

#### Main

Range	PowerLogic
Product Name	СТ
Product Or Component Type	Current transformer
Secondary Current	5 A
Accuracy Class	Class 0.5 at 15 VA Class 1 at 20 VA
[In] Rated Current	1250 A

### Complementary

Tropicalised for busbar
1250/5
60 kA
2.5 lth
5
< 720 V AC 50/60 Hz
3 kV
Insulated locking screw
Busbar
90 mm outside: 65 mm inner:
94 mm outside: 32 mm inner:
40 mm frame: 87 mm total:
0.636 kg
3 kV
Class B
65 x 32
With

#### Environment

Standards

IEC 61869-2 VDE 0414

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Product Certifications	EAC CE
Ip Degree Of Protection	IP20
Relative Humidity	095 %
Ambient Air Temperature For Operation	-2550 °C

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.4 cm
Package 1 Width	9.5 cm
Package 1 Length	10.0 cm
Package 1 Weight	634.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	16
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	10.295 kg

#### **Sustainability**

**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins