



Pre-wired undervoltage release MN, ComPacT NSXm, 380/415VAC 50Hz

LV426826

! Discontinued on: 13 Apr 2024



Main

Range	ComPact
Range Of Product	ComPacT NSXm new generation
Device Short Name	MN
Product Or Component Type	Voltage release
Device Application	Control
Voltage Release Type	Opening coil Undervoltage release
[Uc] Control Circuit Voltage	380415 V AC 50 Hz
Range Compatibility	ComPact ComPacT NSXm new generation ComPact ComPact NSXm PowerPact PowerPact B

Complementary

Operating Threshold	0.350.7 x Un opening 0.85 x Un closing	
Response Time	< 50 ms	
Auxiliary Connection Terminal	Pre-wired 00.8 mm² (AWG 18)stranded copper	
Wire Stripping Length	8 mm	
Cable Length	1 m	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.81 cm
Package 1 Width	6.35 cm
Package 1 Length	8.89 cm
Package 1 Weight	0.08 kg
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	8.7 cm
Package 2 Width	13 cm
Package 2 Length	18.5 cm

Package 2 Weight	846 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	120
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	10.612 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information