



ELBOW 400A MADE TO MEASURE NEUTRAL EXT

KSA400DLF4A

! Discontinued on: 23 Jul 2021

(!) To be discontinued

Main

Range Of Product	Canalis
Product Name	KS
Device Short Name	KSA
Product Or Component Type	Elbow
Busbar Description	Standard on made to measure
Device Application	Change direction
Conductors Material	Aluminium
[le] Rated Operational Current	400 A at 35 °C
[Ue] Rated Operational Voltage	230690 V
Network Frequency	50/60 Hz
Operating Angle	90 °
Direction Change Type	direction 1: flat to downward -

Complementary

Width	147 mm
Depth	63 mm
Height	250745 mm
Net Weight	6.8 kg
Mounting Location	On trunking
Mounting Position	Any position
Electrical Connection	Lubricated sliding contact
Mounting Mode	By screws
Standards	IEC 61439-1 IEC 61439-6

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.3 cm
Package 1 Width	87 cm
Package 1 Length	87 cm

Package 1 Weight 42 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
⊘	Mercury Free
⊘	Rohs Exemption Information Yes
Ø	Halogen Free Product

Certifications & Standards

Eu Rohs Directive

	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Compliant